

Package ‘MDSS’

March 2, 2020

Type Package

Title Modeling Human Dentin Serial Sectioning

Version 1.0-0

Date 2020-02-20

Author Takumi Tsutaya [aut, cre] (<<https://orcid.org/0000-0001-5104-5223>>)

Maintainer Takumi Tsutaya <tsutayatakumi@gmail.com>

Imports graphics, grDevices, stats

Description Modeling microstructures of human tooth dentin and horizontal serial-sectioning of the dentin. Corresponding age range of dentin serial sections, that is used in stable isotope analyses, can be calculated by using this package.

Repository CRAN

License GPL (>= 3)

NeedsCompilation no

Date/Publication 2020-03-02 19:50:13 UTC

R topics documented:

MDSS-package	2
cca	3
mds	5
plot.cca	7
plot.mds	9
unseiji_ST61_C	10
unseiji_ST61_M1	10
Index	12

MDSS-package

Modeling Human Dentin Serial Sectioning

Description

MDSS is a package to model microstructures of human tooth dentin and horizontal serial-sectioning of the dentin. The corresponding age range of dentin serial sections, that is used in stable isotope analyses, can be calculated by using this package.

Details

Package: MDSS
Type: Package
Version: 1.0-0
Date: 2020-02-20
License: GPL (>= 3)

Function `mds` models tooth dentin microstructures and horizontal sectioning patterns. The changing dentin growth rates, oblique dentin growth layers, and dentin outer shape are modeled with pre-determined parameters and user's manual adjustments in `mds`. Function `cca` calculates corresponding age ranges for each dentin serial sections set with `mds`. This package adopts S3 class. The detail of mathematical models is described in Tsutaya (in prep).

Author(s)

Takumi Tsutaya <tsutayatakumi@gmail.com>

References

Tsutaya T. in prep. Blurred time resolution of tooth dentin serial sections.

See Also

`mds`, `cca`

Examples

See `?mds` and `?cca` for examples.

cca *Calculate corresponding age range for dentin serial sections*

Description

cca calculates corresponding age range for horizontal dentin serial sections under a given class "mds" object and given ages at the start and end of tooth dentin formation.

Usage

```
## Default S3 method:
cca(x, t.start, t.end)
```

Arguments

x	An object of class "mds".
t.start	The age at the start of tooth dentin formation.
t.end	The age at the end of tooth dentin formation.

Details

Function cca calculates corresponding age range for each serial section. Each GL has its formation age, and serial sections consist of several GLs that were formed in different ages. Relative volume assigned to each GL in a section is used to weigh the contribution from the GL. Modeled age ranges for the stable isotopic trajectory of dentin serial sections can be obtained by using this function.

Value

cca returns an object of class "cca".
 The function `plot` is used to show figures of the results.
 An object of class "cca" has following list components in addition to those succeeded from "mds":

t.all	List including 5 elements.
t.g	Numeric vector of assigned age to each growth lines with the equal temporal division.
t.n	Numeric vector of assigned age to each sectioning plane with the equal temporal division.
t.g.mid	Numeric vector of midpoint age of each GL.
t.n.ref	Numeric vector of calculated midpoint of the modeled age range of each section with the consideration of changing.
t.n.obs	Numeric vector of assigned midpoint age to each section with the equal temporal division.
cca	Matrix of assigned ages to each section. The row consists of the assigned midpoint ages to sections with equal-temporal division (equally), the modeled midpoint age calculated from the weighted contribution from GLs (weighted), the duration of modeled age range (duration), and lower and upper ages of the modeled age range (lower and upper). The column corresponds to each sec-

tion, and the smallest column number represents the crown-most section.

Author(s)

Takumi Tsutaya developed this model.

References

Tsutaya T. in prep. Blurred time resolution of tooth dentin serial sections.

See Also

[MDSS](#), [mds](#), [plot.cca](#)

Examples

```
## 18 sections for 18 mm lateral incisor
l18_I2_s18.mds <- mds(
  tooth = "I",
  rt.y = 18,
  section.y = 0:18,
  n.GL = 100)
l18_I2_s18.cca <- cca(
  x = l18_I2_s18.mds,
  t.start = 0.5875,
  t.end = 10.5)

# Plot corresponding age ranges.
plot(l18_I2_s18.cca)

## Example of the first molar of ST61 from the Unseiji temple.
unseiji_ST61_M1.mds <- mds(
  tooth = "M1",
  rt.y = unseiji_ST61_M1$rt.y,
  ecj = unseiji_ST61_M1$ecj,
  section.y = unseiji_ST61_M1$section.y,
  n.GL = 100)
unseiji_ST61_M1.cca <- cca(
  x = unseiji_ST61_M1.mds,
  t.start = unseiji_ST61_M1$t.start,
  t.end = unseiji_ST61_M1$t.end)

# Plot modeled age ranges with stable nitrogen isotope ratios.
plot(unseiji_ST61_M1.cca,
  age = unseiji_ST61_M1$section$age,
  delta = unseiji_ST61_M1$section$d15N,
  type = "o")

# Plot without excluded sections with the porous dentin structure.
plot(unseiji_ST61_M1.cca,
  age = unseiji_ST61_M1$section$age[1:13],
  delta = unseiji_ST61_M1$section$d15N[1:13],
```

```

type = "o")

## Irregular sectioning for 20 mm canine.
l20_C_irr.mds <- mds(
  tooth = "C",
  rt.y = 20,
  section.y = c(2:14, 15, 17, 19),
  n.GL = 100)
l20_C_irr.cca <- cca(
  x = l20_C_irr.mds,
  t.start = 0.35,
  t.end = 13.5)

# Plot corresponding age ranges.
plot(l20_C_irr.cca, xlim = c(0, 14))

```

m_{ds}*Model dentin serial sections***Description**

Function `mds` models tooth dentin microstructures and horizontal sectioning patterns. The changing dentin growth rates, oblique dentin growth layers, and dentin outer shape are modeled with pre-determined parameters and user's manual adjustments.

Usage

```

## Default S3 method:
mds(tooth, rt.y = 1, ecj = NULL, section.y,
  factor.GL = 1, n.GL = 500, thin = FALSE)

```

Arguments

<code>tooth</code>	Character scalar showing the target tooth type. Only <code>c("I", "C", "M1", "M2", "M3")</code> is supported.
<code>rt.y</code>	A positive <code>y</code> -value of dentin root tip in mm. Dentin horn is set on the geometric origin, and the longitudinal central axis of dentin equals the <code>y</code> -axis.
<code>ecj</code>	<code>c(x, y)</code> coordinates of enamel-cement junction (ECJ) in mm. If <code>NULL</code> (default), the standardized coordinate is used.
<code>section.y</code>	Vector of <code>y</code> -values for serial sections. Please sandwich by the start and end points for each section, so that the length of <code>section.y</code> equals the +1 number of the serial sections.
<code>factor.GL</code>	Numeric vector to adjust slope of dentin growth layers (GLs). A product of <code>factor.GL</code> and pre-determined slope is used to describe the obliqueness of GLs. If <code>factor.GL = 1</code> , obliqueness of GLs is the same with the reference. If <code>>1</code> , steeper GLs. If <code><1</code> , gentler GLs.
<code>n.GL</code>	Scalar indicating number of GLs. Default is 500.

thin If dentin sample was sliced out into a longitudinal thin plate, put TRUE. If TRUE, the two-dimensional area of individual GLs is used to weigh their contribution in a given section. But if cylindrical dentin sample, such like the whole dentin or longitudinal half/quarter of dentin, was cut into serial sections, put FALSE (default). If FALSE, the cylindrical three-dimensional volume of individual GLs, that is calculated by turning it around the longitudinal central axis of the tooth, is used.

Details

The `mds` is a function to model tooth dentin microstructures and horizontal serial-sectioning patterns for human permanent incisors, canines, and molars. The changing dentin growth rates, oblique dentin growth layers, and curved dentin outer shape are considered in this model. Users can adjust these parameters for individual tooth dentin samples. The details of this model are described in Tsutaya (in prep).

Value

`mds` returns an object of class `"mds"`.

The function `plot` is used to plot a figure of the results.

An object of class `"mds"` is a list containing at least the following components:

<code>parea</code>	Matrix of weighted proportion (volume contribution) for each GL included in each section. The row and column correspond to GLs and sections, respectively.
<code>included</code>	List containing the growth line numbers that are included in each section. The crown-most section has the smallest number as a list element.
<code>ge.x</code>	Numeric vector of the standardized x-value of cross-section between growth lines and crown dentin outer shape.
<code>ge.y</code>	Numeric vector of the standardized y-value of cross-section between growth lines and crown dentin outer shape.
<code>gd.x</code>	Numeric vector of the standardized x-value of cross-section between growth lines and root dentin outer shape.
<code>gd.y</code>	Numeric vector of the standardized y-value of cross-section between growth lines and root dentin outer shape.
<code>ecj.x</code>	Scalar of the standardized x-value of ECJ.
<code>ecj.y</code>	Scalar of the standardized y-value of ECJ.
<code>m.y</code>	Numeric vector of the standardized y-value of cross-section between growth lines and longitudinal central axis of tooth (i.e., y-axis).
<code>n.y</code>	Numeric vector of the standardized y-value of cross-section between sectioning planes and longitudinal central axis of tooth (i.e., y-axis).
<code>EShape</code>	Function describing the crown dentin outer shape.
<code>DShape</code>	Function describing the root dentin outer shape.
<code>Gcurve</code>	Function describing the tooth dentin growth lines.
<code>call</code>	The matched call.

Author(s)

Takumi Tsutaya developed this model.

References

Tsutaya T. in prep. Blurred time resolution of tooth dentin serial sections.

See Also

[MDSS](#), [cca](#), [plot.mds](#)

Examples

```
## 18 sections for 18 mm lateral incisor
l18_I2_s18.mds <- mds(
  tooth = "I",
  rt.y = 18,
  section.y = 0:18,
  n.GL = 100)

# Plot tooth dentin anatomy.
plot(l18_I2_s18.mds)

## Example of the first molar of ST61 from the Unseiji temple.
unseiji_ST61_M1.mds <- mds(
  tooth = "M1",
  rt.y = unseiji_ST61_M1$rt.y,
  ecj = unseiji_ST61_M1$ecj,
  section.y = unseiji_ST61_M1$section.y,
  n.GL = 100)

# Plot tooth dentin anatomy.
plot(unseiji_ST61_M1.mds)

## Irregular sectioning for 20 mm canine.
l20_C_irr.mds <- mds(
  tooth = "C",
  rt.y = 20,
  section.y = c(2:14, 15, 17, 19),
  n.GL = 100)

# Plot tooth dentin anatomy.
plot(l20_C_irr.mds)
```

Description

`plot.cca` is a plotting utility for quick visualization of the modeled age range of tooth dentin serial sections under an object of class "cca". The modeled age ranges are plotted for each section.

Usage

```
## S3 method for class 'cca'  
plot(x, age = NULL, delta = NULL, error = 0.1, ...)
```

Arguments

<code>x</code>	An object of class "cca" generated by <code>cca</code> .
<code>age</code>	Numeric vector of originally assigned ages for each section. If omitted, midpoint ages calculated with equal temporal division according to the relative height of sections are used.
<code>delta</code>	Numeric vector of stable isotope ratios for each section. If omitted, corresponding age ranges are plotted without information on stable isotope ratios.
<code>error</code>	Analytical error of stable isotope ratios. Default is 0.1.
<code>...</code>	Additional arguments passed to <code>plot</code> .

Details

If the argument `delta` is omitted, the corresponding age ranges for each serial section are plotted with its positions in the standardized y-axis. If the argument `delta` is specified, the originally-assigned ages and the modeled age ranges for each section are plotted with its stable isotope ratios.

Author(s)

Takumi Tsutaya developed this model.

References

Tsutaya T. in prep. Blurred time resolution of tooth dentin serial sections.

See Also

[MDSS](#), [mds](#), [cca](#)

Examples

```
## See ?cca for examples.
```

`plot.mds`*Plot for modeled tooth dentin serial sections*

Description

`plot.mds` is a plotting utility for quick visualization of the modeled tooth dentin microstructures under an object of class "mds". The modeled dentin growth layers and outer shape are plotted on a geometric plane.

Usage

```
## S3 method for class 'mds'  
plot(x, ...)
```

Arguments

<code>x</code>	An object of class "mds" generated by mds
<code>...</code>	Additional arguments passed to plot .

Details

The modeled tooth dentin is plotted on a geometric plane. Dentin horn and root tip equal the geometric origin and the coordinate (0, 1), respectively. Growth lines are shown with oblique colored lines inside the longitudinal half of tooth dentin outer shape. Horizontal sections are shown with horizontal solid black lines.

Author(s)

Takumi Tsutaya developed this model.

References

Tsutaya T. in prep. Blurred time resolution of tooth dentin serial sections.

See Also

[MDSS](#), [mds](#)

Examples

```
## See ?mds for examples.
```

unseiji_ST61_C *Stable isotopic data of canine from ST61*

Description

This data set gives the stable carbons and nitrogen isotope ratios of dentin serial sections obtained from a human mandibular canine tooth of an individual ST61 (AD 1655–1732) from the Unseiji temple, Japan, reported in Tsutaya et al. (2016).

Usage

unseiji_ST61_C

Format

unseiji_ST61_C is a list containing 6 elements.

rt.y	y-value for the root tip (i.e., length [mm] of the dentin).
ecj	x- and y-coordinates of enamel-cement junction. Dentin horn is placed on the geometric origin, and root tip is placed on the y-axis.
section.y	y-values for the horizontal sections.
t.start and t.end	The age at the start and end of dentin formation, respectively.
section	Data frame with 18 dentin serial sections (rows) and 3 variables (columns) of assigned midpoint age with respect to the root tip.

Details

See detail for Tsutaya et al. (2016).

Source

Tsutaya T, Miyamoto H, Uno H, Omori T, Gakuhari T, Inahara A, Nagaoka T, Abe M, Yoneda M. 2016. From cradle to grave: multi-isotopic investigations on the life history of a higher-status female in the Edo period Japan. *Anthropological Science* 124:185–197. DOI: 10.1537/ase.161029.

unseiji_ST61_M1 *Stable isotopic data of first molar from ST61*

Description

This data set gives the stable carbons and nitrogen isotope ratios of dentin serial sections obtained from a human maxillary first molar tooth of an individual ST61 (AD 1655–1732) from the Unseiji temple, Japan, reported in Tsutaya et al. (2016).

Usage

unseiji_ST61_M1

Format

unseiji_ST61_C is a list containing 6 elements.

rt.y	y-value for the root tip (i.e., length [mm] of the dentin).
ecj	x- and y-coordinates of enamel-cement junction. Dentin horn is placed on the geometric origin, and root tip is placed on the y-axis.
section.y	y-values for the horizontal sections.
t.start and t.end	The age at the start and end of dentin formation, respectively.
section	Data frame with 16 dentin serial sections (rows) and 3 variables (columns) of assigned midpoint age with respect to the root tip.

Details

See detail for Tsutaya et al. (2016).

Source

Tsutaya T, Miyamoto H, Uno H, Omori T, Gakuhari T, Inahara A, Nagaoka T, Abe M, Yoneda M. 2016. From cradle to grave: multi-isotopic investigations on the life history of a higher-status female in the Edo period Japan. *Anthropological Science* 124:185–197. DOI: 10.1537/ase.161029.

Index

*Topic **datasets**

unseiji_ST61_C, [10](#)

unseiji_ST61_M1, [10](#)

*Topic **math**

cca, [3](#)

mds, [5](#)

plot.cca, [7](#)

plot.mds, [9](#)

*Topic **package**

MDSS-package, [2](#)

cca, [2](#), [3](#), [7](#), [8](#)

class, [3](#), [6](#)

mds, [2](#), [4](#), [5](#), [5](#), [8](#), [9](#)

MDSS, [4](#), [7–9](#)

MDSS (MDSS-package), [2](#)

MDSS-package, [2](#)

plot, [3](#), [6](#), [8](#), [9](#)

plot.cca, [4](#), [7](#)

plot.mds, [7](#), [9](#)

unseiji_ST61_C, [10](#)

unseiji_ST61_M1, [10](#)