

Package ‘files’

August 29, 2016

Title Effective File Navigation from the R Console

Version 0.0.1

Description

Functions for printing the contents of a folder as columns in a ragged-bottom data.frame and for viewing the details (size, time created, time modified, etc.) of a folder's top level contents.

Depends R (>= 3.3.1)

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 5.0.1

NeedsCompilation no

Author Ronald E. Robertson [cre, aut]

Maintainer Ronald E. Robertson <robertson.ron@husky.neu.edu>

Repository CRAN

Date/Publication 2016-07-28 23:52:33

R topics documented:

| | |
|----|---|
| df | 1 |
| lf | 2 |

| | |
|--------------|----------|
| Index | 3 |
|--------------|----------|

df *Describe Files*

Description

Describe Files

Usage

```
df(dir = ".", all.files = TRUE, ...)
```

Arguments

| | |
|------------------------|---|
| <code>dir</code> | the directory containing the files to describe |
| <code>all.files</code> | logical, include hidden files and folders |
| <code>...</code> | additional arguments to pass to <code>list.files</code> |

Value

A data.frame containing file information for all files in `dir`

Examples

```
df()
```

 lf

Enhanced Working Directory View

Description

Enhanced Working Directory View

Usage

```
lf(dir = ".", hidden.files = TRUE, hidden.dirs = FALSE, ...)
```

Arguments

| | |
|---------------------------|---|
| <code>dir</code> | character, the directory in which to view files |
| <code>hidden.files</code> | logical, include hidden files |
| <code>hidden.dirs</code> | logical, include hidden directories |
| <code>...</code> | additional arguments to pass to <code>list.files</code> which this function is built around |

Value

a data.frame of the directories and files names in presentation format

Examples

```
lf()
```

Index

df, 1

lf, 2