

Package ‘impressionist.colors’

March 31, 2020

Type Package

Title Impressionism's Color Palettes

Version 1.0

Author Federico Casale

Maintainer Federico Casale <casale@hhu.de>

Description Provides color palettes from Impressionism and post-Impressionism artworks. This package allows to select colors combinations while looking at the original paintings where colors were sampled from.

License GPL-3

Encoding UTF-8

LazyData true

Imports graphics

NeedsCompilation no

Depends R (>= 2.10)

Repository CRAN

Date/Publication 2020-03-31 16:20:02 UTC

R topics documented:

get.color	2
palette.list	3
palette.summary	3
see.all.paintings	3
see.palette	4

Index	5
--------------	----------

`get.color`*Get color Hex codes from palette.*

Description

Provides colors' Hex codes from a specified palette.

Usage

```
get.color(artist, painting, color)
```

Arguments

artist	A number indicating artist. Artists have a numeric order in the package. Check palette.summary to see artists numeric order.
painting	A number indicating painting. Paintings have a numeric order in the artist category they belong to. Check palette.summary to see paintings numeric order in each artist category.
color	A numeric vector indicating colors. Colors have a numeric order in the palette they belong to. Check see.palette to see colors numeric order in a specified palette.

Details

Arguments artist and painting cannot be vectorized.

Value

The output is a vector of colors' Hex codes as characters.

Author(s)

Federico A Casale, <casale@hhu.de>

See Also

[palette.summary](#), [see.all.paintings](#), [see.palette](#)

Examples

```
get.color(artist=8, painting=2, color=c(1:5))
get.color(8, 2, c(1:5))
```

`palette.list` *palette.list*

Description

"impressionist.colors" package internal data storage.

`palette.summary` *Summary of all available palettes in the package.*

Description

Prints a summary of all available color palettes in the package categorized by artist and painting along with their numeric order.

Usage

`palette.summary()`

Author(s)

Federico A Casale, <casale@hhu.de>

See Also

[see.all.paintings](#), [see.palette](#), [get.color](#),

Examples

`palette.summary()`

`see.all.paintings` *See all included paintings in the package.*

Description

Displays a plot with all paintings included in the package.

Usage

`see.all.paintings()`

Author(s)

Federico A Casale, <casale@hhu.de>

See Also

[palette.summary](#), [see.palette](#), [get.color](#)

Examples

```
see.all.paintings()
```

see.palette

See a color palette with the original painting.

Description

Displays a plot with the specified color palette along with the original painting.

Usage

```
see.palette(artist, painting)
```

Arguments

artist	A number indicating artist. Artists have a number determined by their order in the package. Check palette.summary to see artists numeric order.
painting	A number indicating painting. Paintings have a number determined by their order in the artist category. Check palette.summary to see paintings numeric order in each artist category.

Details

Arguments artist and painting cannot be vectorized.

Author(s)

Federico A Casale, <casale@hhu.de>

See Also

[palette.summary](#), [see.all.paintings](#), [get.color](#)

Examples

```
see.palette(artist=8, painting=2)  
see.palette(8, 2)
```

Index

`get.color`, [2](#), [3](#), [4](#)

`palette.list`, [3](#)

`palette.summary`, [2](#), [3](#), [4](#)

`see.all.paintings`, [2](#), [3](#), [3](#), [4](#)

`see.palette`, [2-4](#), [4](#)