

Package ‘stmgui’

December 20, 2016

Type Package

Title Shiny Application for Creating STM Models

Version 0.1.6

Date 2016-12-15

Author Dan Zangri [aut, cre], Dustin Tingley [ctb], Brandon Stewart [ctb]

Maintainer Dan Zangri <dzangri@gmail.com>

Description Provides an application that acts as a GUI for the 'stm' text analysis package.

Depends stm, markdown, shinyjs, shinythemes, tm

Imports shiny, shinyBS

LazyData yes

License MIT + file LICENSE

RoxygenNote 5.0.1

Suggests testthat

NeedsCompilation no

Repository CRAN

Date/Publication 2016-12-20 08:16:24

R topics documented:

stmgui-package	2
gadarian	2
runStmGui	3

Index	4
--------------	----------

`stmgui-package`*Shiny Application for Creating STM Models*

Description

Provides an application that acts as a GUI for the 'stm' text analysis package.

Details

stmgui is a simple Shiny application that makes it easy to work with the stm text processing package. Simply run `runStmGui()` to launch the application.

The application intends to make it easy to perform the end-to-end process for creating an stm model with visualizations.

Author(s)

Dan Zangri [aut, cre], Dustin Tingley [ctb], Brandon Stewart [ctb]

Maintainer: Dan Zangri <dzangri@gmail.com>

References

See the [stm](#) documentation for more details and usage

`gadarian`*Gadarian and Albertson data*

Description

This data set contains variables from Gadarian and Albertson (2014). Taken from the [stm](#) package.

The experiment had those in the treatment condition write about what made them anxious about immigration. The control condition just had subjects write about immigration.

Usage

```
data(gadarian)
```

Format

A data frame with 351 observations on the following variables.

`MetaID` a numeric vector containing identification numbers; not used for analysis

`treatment` a numeric vector indicating treatment condition

`pid_rep` a numeric vector of party identification

`open.ended.response` a character vector of the subject's open ended response

Source

Gadarian, Shana Kushner, and Bethany Albertson. "Anxiety, immigration, and the search for information." *Political Psychology* 35.2 (2014): 133-164. Roberts, Margaret E., Brandon M. Stewart, Dustin Tingley, Christopher Lucas, Jetson Leder-Luis, Shana Kushner Gadarian, Bethany Albertson, and David G. Rand. "Structural Topic Models for Open-Ended Survey Responses." *American Journal of Political Science* 58, no 4 (2014): 1064-1082.

`runStmGui`*Helper function to launch the stm shiny app*

Description

`runStmGui` launches the shiny app to help with walking through the creation of stm models

Usage

```
runStmGui()
```

Index

*Topic **stm, shiny**

stmgui-package, 2

gadarian, 2

gadarianFit (gadarian), 2

runStmGui, 3

stm, 2

stmgui (stmgui-package), 2

stmgui-package, 2