

Package ‘texPreview’

March 28, 2022

Type Package

Title Compile and Preview Snippets of 'LaTeX'

Version 2.0.0

Date 2022-03-28

Maintainer Jonathan Sidi <yonicd@gmail.com>

Description Compile snippets of 'LaTeX' directly into images from the R console to view in the 'RStudio' viewer pane, Shiny apps and 'RMarkdown' documents.

URL <https://github.com/yonicd/texPreview>

BugReports <https://github.com/yonicd/texPreview/issues>

Depends R (>= 4.0.0)

Imports base64enc,
details,
fs,
htmltools,
knitr,
magick,
rematch2,
rstudioapi,
svgPanZoom,
utils,
whisker,
xml2,
tinytex

Suggests covr,
kableExtra,
nlme,
pdftools,
rmarkdown,
shiny,
testthat,
texreg,
xtable

VignetteBuilder knitr

RdMacros details

LazyData false

NeedsCompilation no

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.2

License MIT + file LICENSE

R topics documented:

as.kable	2
build_usepackage	3
check_requirements	4
get_texpackages	5
tex_opts	5
tex_preview	6
tex_requirements	9

as.kable

Try to coerce an object into a knitr_kable object

Description

coerce objects into a knitr_kable class object with a latex format

Usage

```
as.kable(x)
```

Arguments

x object, can be tex character, object return by returnType = "input", or a path to a tex file.

Value

an object of class knitr_kable

Examples

```
tex <- '\\begin{tabular}{llr}
\\hline
\\multicolumn{2}{c}{Item} \\ \\ \\
\\cline{1-2}
Animal & Description & Price (\\$) \\ \\ \\
\\hline
Gnat & per gram & 13.65 \\ \\ \\
& each & 0.01 \\ \\ \\
Gnu & stuffed & 92.50 \\ \\ \\
Emu & stuffed & 33.33 \\ \\ \\
Armadillo & frozen & 8.99 \\ \\ \\
\\hline
\\end{tabular}'

ktex <- as.kable(tex)
```

```

class(ktex)

attributes(ktex)

ktex

# file path

toy <- system.file('examples/toy/toy.tex',package = 'texPreview')

ktex_path <- as.kable(toy)

class(ktex_path)

attributes(ktex_path)

ktex_path

# texpreview_input class
# this is the same output class as one would get with
# tex_preview(tex,returnType = 'input')

toy_input <- structure(sprintf('\\input{%s}',toy),class = 'texpreview_input')

toy_input

as.kable(toy_input)

```

build_usepackage

Build usepackage command for TeX document

Description

input TeX package name and optional package functions to create usepackage call

Usage

```
build_usepackage(pkg, options = NULL, uselibrary = NULL, chk.inst = FALSE)
```

Arguments

pkg	character, name of TeX package
options	character, name(s) of options to use in the package
uselibrary	character, part of document preamble to specify a uselibrary call related to package
chk.inst	logical, invokes a check to see if pkg is currently installed on system (default FALSE)

Details

if options and uselibrary are NULL (default) then only the call for the package is returned. See the TeX wikibook for more information https://en.wikibooks.org/wiki/LaTeX/Document_Structure#Packages on the usepackage command. If chk.inst finds that the package is not installed on system function returns NULL.

Value

character

Examples

```
build_usepackage(pkg = 'xcolor')
build_usepackage(pkg = 'xcolor',options = 'usenames')

#build many at once using mapply

geom.opts=c('paperwidth=35cm','paperheight=35cm','left=2.5cm','top=2.5cm')
use.opts="\usetikzlibrary{mindmap,backgrounds}"

unlist(mapply(build_usepackage,
  pkg =      list('times','geometry','tikz'),
  options=   list(NULL ,geom.opts ,NULL),
  uselibrary = list(NULL ,NULL ,use.opts)
  ))
```

check_requirements	<i>Check TeX Requirements for Package</i>
--------------------	---

Description

Checks if the required TeX libraries are installed on the system to render the internal tex file template.

Usage

```
check_requirements()
```

Value

logical

Examples

```
#check_requirements()
```

get_texpackages	<i>Get list of TeX packages installed on System</i>
-----------------	---

Description

Fetch all TeX packages currently installed on system

Usage

```
get_texpackages()
```

Details

If OS is Windows function checks against MikTeX else function checks against TeXLive.

Value

character

Examples

```
#head(get_texpackages())
```

tex_opts	<i>Default and current tex options</i>
----------	--

Description

Options for functions in the texPreview package. When running R code, the object tex_opts (default options) is not modified by chunk headers (local chunk options are merged with default options), whereas tex_opts_current (current options) changes with different chunk headers and it always reflects the options for the current chunk.

Usage

```
tex_opts
```

```
tex_opts_current
```

Format

An object of class list of length 5.

An object of class list of length 5.

Details

Normally we set up the global options once in the first code chunk in a document using `tex_opts$set()`, so that all *latter* chunks will use these options. Note the global options set in one chunk will not affect the options in this chunk itself, and that is why we often need to set global options in a separate chunk.

Below is a list of default chunk options, retrieved via `tex_opts$get()`:

These options correspond to fields in the direct call to `tex_preview`, which are listed in explained in the help manual.

Note

`tex_opts_current` is read-only in the sense that it does nothing if you call `tex_opts_current$set()`; you can only query the options via `tex_opts_current$get()`.

Examples

```
tex_opts$get()
```

tex_preview

Render and Preview snippets of TeX in R Viewer

Description

input TeX script into the function and it renders a pdf and converts it an image which is sent to Viewer.

Usage

```
tex_preview(
  obj,
  tex_lines = NULL,
  stem = "tex_temp",
  overwrite = TRUE,
  keep_pdf = FALSE,
  tex_message = FALSE,
  fileDir = tex_opts$get("fileDir"),
  margin = tex_opts$get("margin"),
  imgFormat = tex_opts$get("imgFormat"),
  returnType = tex_opts$get("returnType"),
  resizebox = tex_opts$get("resizebox"),
  usrPackages = tex_opts$get("usrPackages"),
  engine = tex_opts$get("engine"),
  cleanup = tex_opts$get("cleanup"),
  density = tex_opts$get("density"),
  svg_max = tex_opts$get("svg_max"),
  print.xtable.opts = tex_opts$get("print.xtable.opts"),
  opts.html = tex_opts$get("opts.html"),
  markers = interactive(),
  ...
)
```

Arguments

obj	object to convert to TeX script
tex_lines	vector of character, in case of special needs, instead of asking texPreview to build up, you may choose to pass in the contents of the complete LaTeX file directly. It should be a vector of character with each element as a line of raw TeX code.
stem	character, name to use in output files, Default: "tex_temp"
overwrite	logical, controls if overwriting of output stem* files given their existences, Default: TRUE
keep_pdf	logical, controls if the rendered pdf file should be kept or deleted, Default: FALSE
tex_message	logical, controls if latex executing messages are displayed in console. Default: FALSE
fileDir	character, output destination. If NULL a temp.dir() will be used and no output will be saved, Default: tex_opts\$get('fileDir')
margin	table margin for pdflatex call, Default: tex_opts\$get('margin')
imgFormat	character, defines the type of image the PDF is converted to Default: tex_opts\$get('imgFormat')
returnType	character, one of "viewer", "html", or "tex" determining appropriate return type for the rendering process, Default: tex_opts\$get('returnType')
resizebox	logical, forces a tabular tex object to be constrained on the margins of the document, Default: tex_opts\$get('resizebox')
usrPackages	character, vector of usepackage commands, see details for string format
engine	character, specifies which latex to pdf engine to use ('pdflatex', 'xelatex', 'lualatex'), Default: tex_opts\$get('engine')
cleanup	character, vector of file extensions to clean up after building pdf, Default: tex_opts\$get('cleanup')
density	numeric, controls the density of the image. Default is 150: tex_opts\$get('density')
svg_max	numeric, maximum svg file size allowable to preview, Default: tex_opts\$get('svg_max')
print.xtable.opts	list, contains arguments to pass to print.table, relevant only if xtable is used as the input, Default: tex_opts\$get('print.xtable.opts')
opts.html	list, html options, Default: tex_opts\$get('opts.html')
markers	logical, if TRUE then RStudio markers will be invoked to create links for the log file on rendering errors, Default: interactive()
...	passed to system2

Details

tex_preview is an S3 method that can be used to preview TeX output from different object classes.

Built-in support includes:

- character (tex lines)
- knitr_kable (kable/kableExtra)
- xtable
- texreg
- equatomatic

The function assumes the system has pdflatex installed and it is defined in the PATH.

To add packages to the tex file on render there are two options

- Use `build_usepackage` and use the input argument `usrPackages`.
- Append to the input object `\usepackage{...}` calls, they will be parsed and added to rendering.
- An image file of the name stem with the extension specified in `imgFormat`.
- The default extension is `png`.
- The function writes two files to disk in the `fileDir`
 - Image file
 - TeX script
- The rendering files are removed up from the `fileDir`. This can be controlled using the `cleanup` argument or `tex_opts$get('cleanup')`

Value

The output of the function is dependent on the value of `returnType`:

- `viewer`: NULL
 - magick image is printed in the internal viewer
- `tex`:
 - character, TeX lines
 - printed 'asis' in RMarkdown
- `input`: character
 - path to the file containing the tex wrapped in an input call
 - printed 'asis' in RMarkdown
- `html`: magick image
 - Printed as an HTML document in the internal viewer
 - Printed as an image in RMarkdown

Examples

```
data('iris')
if(interactive()){

# Raw TeX

tex <- '\\begin{tabular}{llr}
\\hline
\\multicolumn{2}{c}{Item} \\ \\ \\
\\cline{1-2}
Animal & Description & Price (\\$) \\ \\ \\
\\hline
Gnat & per gram & 13.65 \\ \\ \\
& each & 0.01 \\ \\ \\
Gnu & stuffed & 92.50 \\ \\ \\
Emu & stuffed & 33.33 \\ \\ \\
Armadillo & frozen & 8.99 \\ \\ \\
\\hline
```

```

\\end{tabular}'

# knitr kable

mtcars |>
  head() |>
  knitr::kable("latex") |>
  tex_preview()

# with svg output pan/zoom is enabled in the internal viewer

tex_preview(obj = tex,stem = 'eq',imgFormat = 'svg')

# use tex_lines parameter to pass full document

tikz_path <- system.file(
  'examples/tikz/credit_rationing.tex',
  package = 'texPreview'
)

tex_preview(tex_lines = readLines(tikz_path))
}

```

tex_requirements

Query TeX file for Required Packages

Description

Parse TeX file for usepackage calls and return a vector of the packages.

Usage

```

tex_requirements(
  file = system.file("tmpl.tex", package = "texPreview"),
  lines = NULL
)

```

Arguments

file	character, Path to TeX file, Default: system.file("tmpl.tex", package = "texPreview")
lines	character, character vector containing TeX script, Default: NULL

Details

If file is NULL then function will use the the value in lines. The default path used in file is the internal template that the package uses.

Value

character

Examples

```
tex_requirements()
```