

Package ‘vcov’

July 22, 2017

Version 0.0.1

Title Variance-Covariance Matrices and Standard Errors

Author Michael Chirico

Maintainer Michael Chirico <MichaelChirico4@gmail.com>

Depends R (>= 3.4.0)

Description Methods for faster extraction (about 5x faster in a few test cases) of variance-covariance matrices and standard errors from models. Methods in the 'stats' package tend to rely on the summary method, which may waste time computing other summary statistics which are summarily ignored.

License GPL (>= 2) | file LICENSE

URL <https://github.com/MichaelChirico/vcov>

NeedsCompilation no

Repository CRAN

Date/Publication 2017-07-22 16:09:54 UTC

R topics documented:

vcov-package	1
test.vcov	2
Vcov	2

Index	4
--------------	----------

vcov-package	<i>Variance-Covariance Matrices and Standard Errors</i>
--------------	---

Description

This package is designed to produce variance-covariance matrices and standard errors as directly/efficiently as possible from fit models. Default methods (e.g., in `stats`) tend to first compute the summary object for a model, from which the matrix is extracted. The catch is that the summary itself often involves several other extraneous computations. The summary methods are typically fast for most purposes, but falter in this regard when a user wishes to compute standard errors of perhaps thousands of models (as may happen, for example, when bootstrapping).

<code>test.vcov</code>	<i>Runs a set of tests.</i>
------------------------	-----------------------------

Description

Runs a set of tests to check `vcov` is working correctly.

Usage

```
test.vcov(...)
```

Arguments

... Currently no arguments.

Details

Runs a series of tests.

Examples

```
test.vcov()
```

Vcov

Fast Covariance Matrix and Standard Error Computation

Description

Skip wasted object summary steps computed by base R when computing covariance matrices and standard errors of common model objects.

Usage

```
Vcov(object, ...)  
  
## S3 method for class 'lm'  
Vcov(object, ...)  
  
## S3 method for class 'glm'  
Vcov(object, dispersion = NULL, ...)  
  
se(object, ...)
```

Arguments

object	A fitted model object.
...	Additional arguments for method functions. For the <code>glm</code> method this can be used to pass a dispersion parameter.
dispersion	The dispersion parameter for the family used. Either a single numerical value or <code>NULL</code> (the default), in which case it is inferred from <code>obj</code> . For details, see summary.glm .

See Also

[summary.glm](#)

Examples

```
# data taken from ?lm  
ctl = c(4.17,5.58,5.18,6.11,4.50,4.61,5.17,4.53,5.33,5.14)  
trt = c(4.81,4.17,4.41,3.59,5.87,3.83,6.03,4.89,4.32,4.69)  
group = gl(2, 10, 20, labels = c("Ctl","Trt"))  
weight = c(ctl, trt)  
reg_lm = lm(weight ~ group)  
Vcov(reg_lm)  
se(reg_lm)  
  
# data taken from ?glm  
counts = c(18,17,15,20,10,20,25,13,12)  
outcome = gl(3,1,9)  
treatment = gl(3,3)  
reg_glm = glm(counts ~ outcome + treatment, family = poisson)  
Vcov(reg_glm)  
se(reg_glm)
```

Index

`se (Vcov)`, [2](#)
`summary.glm`, [3](#)

`test.vcov`, [2](#)

`Vcov`, [2](#)
`vcov-package`, [1](#)